
# SAS**710 =**





### Overview



**SAS710** 





SAS710 is a discontinuous linear profile system intended for use in corridors and shorter run applications between ceiling features. Similar to SAS700, 710 is ideally suited to high traffic zones requiring open areas for smoke extraction.

A highly cost-effective linear profile option, SAS710 comprises a steel rolled profile which simply hooks onto the carrier.

SAS710 can be adapted for exterior applications also. Please contact our technical team for more details.

#### **Profile Sizes**

Standard Length	3000mm
Standard Width	30mm
Standard Depths	60 or 98mm

Bespoke profiles are available on request. Longer continuous runs can be achieved through splices.

#### Access

SAS710 profiles can simply be demounted for void access.

#### Finishes

SAS710 is available in all standard SAS finishes, please refer to page 105. Bespoke finishes are available on request.

#### Service Integration

Service integration is limited to separately mounted services in between profiles.


#### **Technical Support**

Please contact our technical team for all questions relating to access, bespoke features and service integration.


### SAS**710**



#### **Perspective Drawing**



#### Section and detail drawings



All dimensions are in mm.






SAS**710** 

### The Friary Centre

Location
Guildford, UK
Architect
Hadfield Cawkwell
Davidson & Partners

Contractor Westfield Shoppingtowns Ltd Purpose Retail



SAS**710** §

Aeropuerto de Santiago

Location
Santiago, Spain
Architect
Alberto Noguerol
+ Pilar Diez
arquitectura

Contractor **UTE Lavacolla**Purpose **Transport** 

## 

SAS Plus offers the system designer access to SAS' in-house design team to collaborate on bespoke ceiling specification. Systems can be variants of standard SAS offerings, or completely bespoke designs.

Call us for more details.

UK +44 (0) 1189 290 900 UK sasint.co.uk enquiries@sasint.co.uk